



**altrex**

## MiTOWER

- Lightweight, easy to transport and store
- Wooden or lightweight Fiber-Deck® platforms
- Ideal for 1 person usage
- Maximum Working Height at 6.20m
- Dimensions:

**Width:** 0.73m

**Length:** 1.17m

## MiTOWER PLUS

- Lightweight, easy to transport and store
- Wooden or lightweight Fiber-Deck® platforms
- Ideal for 2 person usage
- Maximum Working Height at 8.20m
- Dimensions:

**Width:** 0.73m

**Length:** 1.62m



### ADDRESS

Tseriou 47, 2572 Pera Chorio Nisou, Nicosia, Cyprus  
**Postal Address:** P.O.Box 12919, 2253 Latsia



### TELEPHONE

**Tel.** +357 22621072  
**Fax.** +357 22622038



### WEBSITE & E-MAIL

**E-mail:** [info@scaffolding-solutions.com.cy](mailto:info@scaffolding-solutions.com.cy)  
**Website:** [www.scaffolding-solutions.com.cy](http://www.scaffolding-solutions.com.cy)

FOLLOW US





## MiTOWER

### Quick Assembly Rolling tower

- To be assembled and dismantled by a single person
- Only 10 minutes to assemble a tower of 6 meter working height
- Stable, strong and robust
- Lightweight, easy to transport and store
- Wooden or lightweight Fiber-Deck® platform

**Width:** 0.73m / **Length:** 1.17m



**altrex**

**Contact us:**  
**22 621072**



*Relax.  
It's an Altrex!*



**Strong, stable, compact and easy transport**

FOLLOW US



**E-mail:** [info@scaffolding-solutions.com.cy](mailto:info@scaffolding-solutions.com.cy)

**Address:** Tseriou 47, 2572 Pera Chorio Nisou  
Nicosia, Cyprus



## MiTOWER PLUS

Quick-Build rolling tower

*Relax.  
It's an Altrex!*



### MiTower Plus Rolling Tower

- Can be assembled by 1 person, to be used by 2 persons
- Only 12 minutes to assemble a tower of 8 meter working height
- Now also available with Safe-Quick® GuardRail
- Lightweight, easy to transport and store
- Wooden or lightweight Fiber-Deck® platforms
- Dimensions 165 x 75 x 210 cm (L x W x H)



**Scaffolding  
Solutions**

#### Find us:

Head Office: Tseriou 47  
2572 Pera Chorio Nisou  
Nicosia, Cyprus  
Tel. +357 22621072  
Fax. +357 22622038

FOLLOW US

